



国内版

国际版

Carvedilol versus Endoscopic Variceal Ligation for Primary and Secondary Preventi



Sign in



All

Images

Videos

翻译成中文

关闭取词

Make Bing your search engine >

24,600 Results

Any time ▾

## Primary Prevention of Variceal Bleeding: Pharmacological ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > N Am J Med Sci > v.5(10); 2013 Oct

Management of **esophageal varices** can be divided into: (1) **Primary prevention of variceal bleeding**, (2) **control of acute bleeding**, (3) **secondary prevention of bleeding (prevention of recurrent bleeding)**. In this review, we will summarize the approach to **esophageal varices** in terms of **prevention** of the first episode of **bleeding**.

Cited by: 4

Author: Zeid Karadsheh, Harmony Allison

Publish Year: 2013

## Carvedilol vs endoscopic band ligation for the prevention ...

[https://www.researchgate.net/publication/330711563\\_Carvedilol\\_vs...](https://www.researchgate.net/publication/330711563_Carvedilol_vs...)

**Carvedilol vs endoscopic band ligation for the prevention of variceal bleeding: a meta-analysis**

Article (PDF Available) in Therapeutics and Clinical Risk Management Volume 15:191-200 · January ...

## Comparison of endoscopic variceal ligation and beta ...

[www.ijmedicine.com/index.php/ijam/article/view/649](http://www.ijmedicine.com/index.php/ijam/article/view/649) ▾

Comparison of **endoscopic variceal ligation** and beta-blocker (**carvedilol**) plus nitrate for the **primary prevention of variceal bleeding** Background: Esophageal **variceal** bleed is ...

Author: Anilesh Kumar Singh Yadav, B P Priy...

Publish Year: 2017

## Randomized controlled trial of carvedilol versus variceal ...

[onlinelibrary.wiley.com/doi/10.1002/hep.23045/full](http://onlinelibrary.wiley.com/doi/10.1002/hep.23045/full)

**Variceal Bleeding**. Two patients were noted to be noncompliant with **carvedilol**, and five patients were noncompliant with the VBL protocol prior to the first **variceal bleed**. There were 10 patients in the VBL

**Name of Journal:** *World Journal of Hepatology*

**Manuscript NO:** 46415

**Manuscript Type:** META-ANALYSIS

**Carvedilol vs endoscopic<sup>1</sup> variceal ligation for primary and secondary prevention of variceal bleeding: Systematic review and meta-analysis**

**Dwinata** M *et al.* Carvedilol vs EVL for primary and secondary prevention of variceal bleeding

Michael Dwinata, David Dwi Putera, Muhamad Fajri Adda'i, Putra Nur Hidayat, Irsan Hasan

### Match Overview

1	Internet 83 words crawled on 28-Mar-2019 <a href="http://link.springer.com">link.springer.com</a>	4%
2	Internet 22 words crawled on 11-Dec-2013 <a href="http://www.edizioniscriptamanent.it">www.edizioniscriptamanent.it</a>	1%
3	Internet 19 words crawled on 13-Jun-2018 <a href="http://aasldpubs.onlinelibrary.wiley.com">aasldpubs.onlinelibrary.wiley.com</a>	1%



25,800 Results Any time ▾

### Primary Prevention of Variceal Bleeding: Pharmacological ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > N Am J Med Sci > v.5(10); 2013 Oct

Management of **esophageal varices** can be divided into: (1) **Primary prevention of variceal bleeding**, (2) **control of acute bleeding**, (3) **secondary prevention of bleeding (prevention of recurrent bleeding)**. In this review, we will summarize the approach to **esophageal varices** in terms of **prevention of the first episode of bleeding**.

Cited by: 4 Author: Zeid Karadsheh, Harmony Allison

Publish Year: 2013

### Secondary prophylaxis for variceal bleeding: carvedilol vs ...

<https://link.springer.com/article/10.1007/s12072-017-9791-4> ▾

For preventing recurrent **variceal** hemorrhage, first-line therapy for all patients is a combination of NSBB (propranolol or nadolol) plus **endoscopic variceal ligation**. Also, in the situation of recurrent **variceal bleeding**, **carvedilol** has not yet been compared to the current standard of care (traditional NSBB).

Author: Christian J. Steib, Alexander L. Gerbes Publish Year: 2017

Location: Munich

### Randomized controlled trial of carvedilol versus variceal ...

[onlinelibrary.wiley.com/doi/10.1002/hep.23045/full](http://onlinelibrary.wiley.com/doi/10.1002/hep.23045/full)

**Variceal Bleeding**. Two patients were noted to be noncompliant with **carvedilol**, and five patients were noncompliant with the VBL protocol prior to the first **variceal bleed**. There were 10 patients in the VBL arm who bled prior to **variceal eradication**. Three of these patients **bled** prior to the first **endoscopy** after randomization,...

Published in: Hepatology · 2009

Authors: Dhiraj Tripathi · James Ferguson · Narendra Kochar · J A Leithead · George Therapon...

Affiliation: Glasgow Royal Infirmary · Alexandra Hospital · Gartnavel General Hospital

About: Randomized controlled trial · Gastroenterology · Vascular disease · Antagonist · Carv...

### Carvedilol vs endoscopic band ligation for the prevention ...

<https://www.dovepress.com/carvedilol-vs-endoscopic-band-ligation...> ▾

Nov 02, 2018 · The present study aimed to perform a **meta-analysis** of randomized controlled trials (RCTs) evaluating the benefits and harms of **carvedilol vs EBL** for the **prevention of variceal bleeding**. Methods: Studies were searched on Pubmed, Embase, Medline, and ...

Author: Shan Tian, Ruixue Li, Yingyun Guo, X... Publish Year: 2019

### Carvedilol vs. esophageal variceal band ligation in the ...

<https://www.sciencedirect.com/science/article/pii/S0168827813008209>

**Endoscopic variceal ligation (EVL)** has been shown to be equal to or better than propranolol in preventing



### Secondary prophylaxis for variceal bleeding: carvedilol vs ...

<https://link.springer.com/article/10.1007/s12072-017-9791-4>

For preventing recurrent **variceal** hemorrhage, first-line therapy for all patients is a combination of NSBB (propranolol or nadolol) plus **endoscopic variceal ligation**. Also, in the situation of recurrent **variceal bleeding**, **carvedilol** has not yet been compared to the current standard of care (traditional NSBB).

**Author:** Christian J. Steib, Alexander L. Gerbes **Publish Year:** 2017  
**Location:** Munich

### Efficacy of carvedilol versus propranolol versus variceal ...

[https://www.researchgate.net/publication/321344622\\_Efficacy\\_of...](https://www.researchgate.net/publication/321344622_Efficacy_of...)

**Primary prevention of variceal bleeding** is an important and long-debated topic in the management of patients with **cirrhosis** and **esophageal varices**.

### Primary Prevention of Variceal Bleeding: Pharmacological ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > N Am J Med Sci > v.5(10); 2013 Oct

Management of **esophageal varices** can be divided into: (1) **Primary prevention of variceal bleeding**, (2) control of **acute bleeding**, (3) **secondary prevention of bleeding (prevention of recurrent bleeding)**. In this review, we will summarize the approach to **esophageal varices** in terms of prevention of the first episode of **bleeding**.

**Cited by:** 4 **Author:** Zeid Karadsheh, Harmony Allison  
**Publish Year:** 2013

### Randomized controlled trial of carvedilol versus variceal ...

[onlinelibrary.wiley.com/doi/10.1002/hep.23045/full](http://onlinelibrary.wiley.com/doi/10.1002/hep.23045/full)

**Variceal Bleeding.** Two patients were noted to be noncompliant with **carvedilol**, and five patients were noncompliant with the VBL protocol prior to the first **variceal bleed**. There were 10 patients in the VBL arm who bled prior to **variceal eradication**. Three of these patients **bled** prior to the first **endoscopy** after randomization,...

Published in: **Hepatology** · 2009  
**Authors:** Dhiraj Tripathi · James Ferguson · Narendra Kochar · J A Leithead · George Therapon...  
**Affiliation:** Glasgow Royal Infirmary · Alexandra Hospital · Gartnavel General Hospital

## Bleeding

Bleeding, also known as a hemorrhage or haemorrhage, is blood escaping from the circulatory system from damaged blood vessels. Bleeding can occur internally, or externally either through a natural opening such as the mouth, nose, ear, urethra, vagina or anus, or through a wound in the skin. Hypovolemia is a massive decrease in blood volume, and death by excessive loss of blood is referred to as exsanguination. Typically, a healthy person can endure a loss of 10–15% of the total blood volume without serious medical difficulties. The stopping or controlling of bleeding is called hemostasis and is an important part of both first aid and surgery. The use of cyanoacrylate glue to prevent bleeding and seal battle wounds was designed and first used in the Vietnam War. Today many medical treatments use a medical version of "super glue" instead of using traditional stitches used for small wounds that need to be closed at the skin level.



### People also search for

- Viral hemorrhagic fever
- Hypovolemia
- Intracerebral hemorrhage
- Shock
- Stroke
- See more

Data from: [Wikipedia](#)  
[Suggest an edit](#)