

Name of Journal: *World Journal of Orthopaedics*

ESPS Manuscript NO: 29894

Manuscript Type: EDITORIAL

Lower limb stress fractures in sport: Optimising their management and outcome

Greg AJ Robertson, Alexander M Wood

Match Overview

- 1** **Crossref** 89 words
Robertson, Greg AJ. "Fractures in sport: Optimising their management and outcome", *World Journal of Orthopaedics*, 2013. 1%
- 2** **Crossref** 36 words
Feibel, R.J. "Major Complications Associated with Femoral Nerve Catheters for Knee Arthroplasty", *The Journal of Arthroplasty*, 2013. <1%
- 3** **Crossref** 16 words
Sports Medicine and Arthroscopic Surgery of the Foot and Ankle, 2013. <1%

学术搜索

找到约 1,210,000 条结果 (用时0.05秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

Stress fractures in athletes A study of 320 cases

GO Matheson, DB Clement, DC McKenzie... - The American Journal ..., 1987 - ajs.sagepub.com

Abstract We analyzed cases of 320 athletes with bone scan-positive stress fractures (M=145, F=175) seen over 3.5 years and assessed the results of conservative management. The most common bone injured was the tibia (49.1%), followed by the tarsals (25.3%), ...

被引用次数: 802 相关文章 所有 4 个版本 引用 保存

Stress fractures in military recruits. A prospective study showing an unusually high incidence

C Milgrom, M Giladi, M Stein, H Kashtan... - Bone & Joint ..., 1985 - bj.boneandjoint.org.uk

Abstract In a prospective study of 295 male Israeli military recruits a 31% incidence of stress fractures was found. Eighty per cent of the fractures were in the tibial or femoral shaft, while only 8% occurred in the tarsus and metatarsus. Sixty-nine per cent of the femoral stress ...

被引用次数: 325 相关文章 所有 5 个版本 引用 保存

[HTML] Bone microdamage and skeletal fragility in osteoporotic and stress fractures

DB Burr, MR Forwood, DP Fyhrie... - Journal of Bone and ..., 1997 - Wiley Online Library

Abstract The accumulation of bone microdamage has been proposed as one factor that contributes to increased skeletal fragility with age and that may increase the risk for fracture in older women. This paper reviews the current status and understanding of microdamage ...

被引用次数: 587 相关文章 所有 8 个版本 引用 保存

An emerging pattern of subtrochanteric stress fractures: a long-term complication of alendronate therapy?

EBK Kwek, SK Goh, JSB Koh, MA Png, TS Howe - Injury, 2008 - Elsevier

BACKGROUND: Subtrochanteric insufficiency fractures in post-menopausal patients have not been commonly reported in the literature. A recent increase in the incidence of such

学术搜索

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

[HTML] [Fractures in sport: Optimising their management and outcome](#)

GAJ Robertson, [AM Wood](#) - World journal of orthopedics, 2015 - ncbi.nlm.nih.gov

Abstract Fractures in sport are a specialised cohort of fracture injuries, occurring in a high functioning population, in which the goals are rapid restoration of function and return to play with the minimal symptom profile possible. While the general principles of fracture ...

被引用次数: 1 [相关文章](#) [所有 6 个版本](#) [引用](#) [保存](#)

以上显示的是最相近的搜索结果。 [查看全部搜索结果](#)

[关于 Google 学术搜索](#) [隐私权](#) [条款](#) [提供反馈](#)

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

包括专利

包含引用



全部 图片 新闻 视频 更多

设置 工具

找到约 154,000 条结果 (用时 0.69 秒)

Google 学术: Lower limb stress fractures in sport: Optimising their management and outcome

Lower leg pain - Touliopolous - 被引用次数: 97

Leg length discrepancy - Gurney - 被引用次数: 257

... dance company effect of comprehensive management ... - Bronner - 被引用次数: 170

Fractures in sport: Optimising their management and outcome - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: GAJ Robertson - 2015 - 被引用次数: 2 - 相关文章

2015年12月18日 - Keywords: Fractures, Sport, Management, Optimisation, Outcome ... injuries and overuse injuries, such as ligament ruptures and stress fractures, that ... and lower limb[5,22], and discuss the developing management initiatives ...

Return to sports after stress fractures of the tibial diaphysis: a ...

bmb.oxfordjournals.org/content/early/2015/02/20/bmb.ldv006.full - 翻译此页

作者: GAJ Robertson - 2015 - 被引用次数: 5 - 相关文章

2015年2月21日 - There are two distinct types of tibial diaphyseal stress fractures (TDSFs): those of ... methods of management and outcome measures utilized, as well as the low scientific ... A pneumatic leg brace for the treatment of tibial stress fractures. ... of brain-based algorithms for diagnosis and optimised treatment.

[PDF] Taking a holistic approach to managing difficult stress fractures

<https://www.biomedcentral.com/track/pdf/10.1186/s13018-016-0431-9?> - 翻译此页