

[全部](#) [图片](#) [新闻](#) [购物](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 13,800 条结果 (用时 0.75 秒)

### Bismuth-containing quadruple therapy as second-line treatment for ...

[www.ncbi.nlm.nih.gov/pubmed/20302588](http://www.ncbi.nlm.nih.gov/pubmed/20302588) [▼ 翻译此页](#)

作者: BH Lee - 2010 - 被引用次数: 94 - 相关文章

Bismuth-containing quadruple therapy as second-line treatment for ... effect of treatment duration and antibiotic resistance on the eradication rate ... BACKGROUND: The eradication rate of first-line *Helicobacter pylori* treatment is only 70-85% ...

缺少字词: diabetes

### Helicobacter pylori second-line rescue therapy with levofloxacin-and ...

[www.ncbi.nlm.nih.gov/pubmed/25703120](http://www.ncbi.nlm.nih.gov/pubmed/25703120) [▼ 翻译此页](#)

作者: JP Gisbert - 2015 - 被引用次数: 27 - 相关文章

2015年2月23日 - Helicobacter pylori second-line rescue therapy with levofloxacin- and bismuth-containing quadruple therapy, after failure of standard triple or ... BACKGROUND: The most commonly used second-line *Helicobacter pylori* eradication regimens ... Incidence of adverse effects was evaluated by questionnaires.

缺少字词: diabetes

### Fourteen- vs seven-day bismuth-based quadruple therapy for second ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: JJ Hwang - 2015 - 被引用次数: 1 - 相关文章

2015年7月14日 - Successful eradication therapy for *H. pylori* infection was defined as a negative ... Keywords: *Helicobacter pylori*, Treatment failure, Second-line ... alcohol use, diabetes, and hypertension) and endoscopic diagnosis were recorded. .... Bismuth-containing quadruple therapy as second-line treatment for ...



Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 30795

Manuscript Type: ORIGINAL ARTICLE

*Retrospective Study*

**Second-line bismuth-containing quadruple therapy for *Helicobacter pylori* eradication and impact of diabetes**

Kim SE *et al.* Bismuth-containing quadruple therapy and diabetes

**Sung Eun Kim, Moo In Park, Seun Ja Park, Won Moon, Jae Hyun Kim, Kyoungwon Jung, Hae Koo Kim, Young Dal Lee**

**Abstract**

**AIM**

To investigate *Helicobacter pylori* (*H. pylori*) eradication rates using second-line bismuth-containing quadruple therapy and to identify predictors of eradication

**Match Overview**

9 matches

1	<b>Internet</b> 177 words crawled on 06-Sep-2016 <a href="http://kjim.org">kjim.org</a>	5%
2	<b>Crossref</b> 52 words Kim, Sung Eun, Moo In Park, Seun Ja Park, Won Moon, Jae Hyun Kim, Kyoungwon Jung, Kwang Il Seo, Seong Kyeong	2%
3	<b>Internet</b> 38 words crawled on 10-Nov-2015 <a href="http://bib.irb.hr">bib.irb.hr</a>	1%
4	<b>Internet</b> 16 words crawled on 14-Dec-2016 <a href="http://www.bjbm.org">www.bjbm.org</a>	<1%
5	<b>Internet</b> 14 words crawled on 28-Jun-2016 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	<1%
6	<b>Internet</b> 13 words crawled on 18-Apr-2016 <a href="http://www.gov.uk">www.gov.uk</a>	<1%

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 16,600 条结果 (用时 0.79 秒)

### Bismuth-containing quadruple therapy as second-line treatment for ...

<https://www.ncbi.nlm.nih.gov/pubmed/20302588> - [翻译此页](#)作者: BH Lee - 2010 - 被引用次数: 97 - [相关文章](#)

Bismuth-containing quadruple therapy as second-line treatment for ... effect of treatment duration and antibiotic resistance on the eradication rate ... BACKGROUND: The eradication rate of first-line Helicobacter pylori treatment is only 70-85% ...

缺少字词: diabetes

### Fourteen- vs seven-day bismuth-based quadruple therapy for second ...

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)作者: JJ Hwang - 2015 - 被引用次数: 1 - [相关文章](#)

2015年7月14日 - Successful eradication therapy for H. pylori infection was defined as a negative ...

Keywords: Helicobacter pylori, Treatment failure, Second-line ..., alcohol use, diabetes, and hypertension) and endoscopic diagnosis were recorded. .... Bismuth-containing quadruple therapy as second-line treatment for ...

### Bismuth-containing Quadruple Therapy Improves H. Pylori Eradication

[www.medscape.com/viewarticle/729407](http://www.medscape.com/viewarticle/729407) - [翻译此页](#)

Bismuth Improves PPI-based Triple Therapy for H. pylori Eradication ... Quadruple therapies have a long tradition as a second-line therapy, but have also been ... This effect is particularly pertinent in regions of high clarithromycin resistance. ... Type 2 Diabetes Care + Dramatic Drop in Cancer Deaths, but One Cancer Still Up.

### Helicobacter pylori second - line rescue therapy with levofloxacin - and ...

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 17,000 条结果 (用时 0.98 秒)

### Bismuth-containing quadruple therapy as second-line treatment for ...

<https://www.ncbi.nlm.nih.gov/pubmed/20302588> - 翻译此页

作者：BH Lee - 2010 - 被引用次数：97 - 相关文章

Bismuth-containing quadruple therapy as second-line treatment for ... effect of treatment duration and antibiotic resistance on the eradication rate ... BACKGROUND: The eradication rate of first-line *Helicobacter pylori* treatment is only 70-85% ...

缺少字词：diabetes

### Fourteen- vs seven-day bismuth-based quadruple therapy for second ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者：JJ Hwang - 2015 - 被引用次数：1 - 相关文章

2015年7月14日 - Successful eradication therapy for *H. pylori* infection was defined as a negative ...

Keywords: *Helicobacter pylori*, Treatment failure, Second-line .... alcohol use, diabetes, and hypertension) and endoscopic diagnosis were recorded. .... Bismuth-containing quadruple therapy as second-line treatment for ...

### Bismuth-containing Quadruple Therapy Improves H. Pylori Eradication

[www.medscape.com/viewarticle/729407](http://www.medscape.com/viewarticle/729407) ▼ 翻译此页

Dermatology · Diabetes & Endocrinology ... Bismuth Improves PPI-based Triple Therapy for *H. pylori* Eradication ... Quadruple therapies have a long tradition as a second-line therapy, but have also been proven effective as a first-line therapy. ... This effect is particularly pertinent in regions of high clarithromycin resistance.

### *Helicobacter pylori* second-line rescue therapy with levofloxacin-and ...

[onlinelibrary.wiley.com/doi/10.1111/apt.13128/full](http://onlinelibrary.wiley.com/doi/10.1111/apt.13128/full) - 翻译此页

作者：JP Gisbert - 2015 - 被引用次数：30 - 相关文章

2015年2月23日 - Adverse effects were reported in 46% of patients, most commonly nausea ...

Fourteen-day bismuth- and levofloxacin-containing quadruple therapy is ... diabetes mellitus, neoplastic diseases, coagulation disorders, and hepatic. .... Efficacy of a second line *Helicobacter*