

1 / 26

**1** **Name of Journal:** *World Journal of Gastrointestinal Endoscopy*

**Manuscript NO:** 55513

**Manuscript Type:** ORIGINAL ARTICLE

*Retrospective Study*

Which scope is appropriate for endoscopic retrograde cholangiopancreatography after Billroth II reconstruction: An esophagogastroduodenoscope or a colonoscope?

**1** Mitsuru Sugimoto, Tadayuki Takagi, Rei Suzuki, Naoki Konno, Hiroyuki Asama, Yuki Sato, Hiroki Irie, Ko Watanabe, Jun Nakamura, Hitomi Kikuchi, Mika Takasumi, Minami Hashimoto, Tsunetaka Kato, Takuto Hikichi, Hiromasa Ohira

**Abstract**

BACKGROUND

Recently, with the advent of more advanced devices and endoscopic techniques,

Match Overview

1	<b>Internet</b> 140 words crawled on 29-Mar-2020 <a href="http://f6publishing.blob.core.windows.net">f6publishing.blob.core.windows.net</a>	3%
2	<b>Internet</b> 114 words crawled on 10-Feb-2020 <a href="http://www.researchsquare.com">www.researchsquare.com</a>	3%
3	<b>Crossref</b> 104 words Mitsuru Sugimoto, Tadayuki Takagi, Rei Suzuki, Naoki Konno et al. "Influence of night duty on endoscopic therapy for bil"	3%
4	<b>Crossref</b> 71 words Mitsuru Sugimoto, Tadayuki Takagi, Rei Suzuki, Naoki Konno et al. "Pancreatic stents for the prevention of post-endosc"	2%
5	<b>Internet</b> 42 words crawled on 02-Apr-2020 <a href="http://www.spandidos-publications.com">www.spandidos-publications.com</a>	1%
6	<b>Crossref</b> 28 words Tadayuki Takagi, Mitsuru Sugimoto, Rei Suzuki, Naoki Konno et al. "Appropriate number of biliary biopsies and endosco"	1%
7	<b>Internet</b> 15 words crawled on 17-Mar-2020 <a href="http://www.tandfonline.com">www.tandfonline.com</a>	
8	<b>Crossref</b> 13 words Takao Itoi. "Single-Balloon Enteroscopy-Assisted ERCP in Patients With Billroth II Gastric Resection"	<1%





国内版

国际版

Which scope is appropriate for endoscopic retrograde cholangiop



ALL

IMAGES

VIDEOS

3,890 Results

Any time ▾

## [Endoscopic Retrograde Cholangiopancreatography in Post ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5152788>

Nov 29, 2016 · **Endoscopic retrograde cholangiopancreatography** (ERCP) is currently a standard treatment for pancreatobiliary diseases . ERCP in post-gastrectomy patients with **Billroth II** (BII) **reconstruction** and Roux-en-Y (RY) **reconstruction** presents a challenge for ...

**Cited by:** 1

**Author:** Chang-Hwan Park

**Publish Year:** 2016

## [Recent advances in endoscopic retrograde ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6603814>

Jun 28, 2019 · Core tip: **Endoscopic retrograde cholangiopancreatography** (ERCP) in **Billroth II** gastrectomy anatomy has been considered a difficult procedure due to the surgical alteration. To date, there has been a paucity of comparative studies regarding ERCP in **Billroth II** gastrectomy patients. In current study, we systematically and comprehensively reviewed the literatures regarding ERCP in **Billroth II** ...

**Cited by:** 2

**Author:** Tae Young Park, Tae Jun Song

**Publish Year:** 2019

## [Endoscopic Retrograde Cholangiography Using an Anterior ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4408371>

Kim MH, Lee SK, Lee MH, et al. **Endoscopic retrograde cholangiopancreatography** and needle-knife sphincterotomy in patients with **Billroth II** gastrectomy: a comparative study of the forward-viewing endoscope and the side-viewing duodenoscope. **Endoscopy**. 1997; ...

Search Tools

[Turn off Hover Translation](#)





Which scope is appropriate for endoscopic retrograde cholangiopa



ALL IMAGES VIDEOS MAPS NEWS SHOPPING

3,960 Results Any time ▾

### Endoscopic Retrograde Cholangiopancreatography in Post ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5152788>

Nov 29, 2016 · **Endoscopic retrograde cholangiopancreatography** (ERCP) is currently a standard treatment for pancreatobiliary diseases . ERCP in post-gastrectomy patients with **Billroth II** (BII) **reconstruction** and Roux-en-Y (RY) **reconstruction** presents a challenge for ...

**Cited by:** 1 **Author:** Chang-Hwan Park

**Publish Year:** 2016

### Recent advances in endoscopic retrograde ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6603814>

Jun 28, 2019 · Core tip: **Endoscopic retrograde cholangiopancreatography** (ERCP) in **Billroth II** gastrectomy anatomy has been considered a difficult procedure due to the surgical alteration. To date, there has been a paucity of comparative studies regarding ERCP in **Billroth II** gastrectomy patients. In current study, we systematically and comprehensively reviewed the literatures regarding ERCP in **Billroth II** ...

**Cited by:** 2 **Author:** Tae Young Park, Tae Jun Song

**Publish Year:** 2019

### Endoscopic Retrograde Cholangiography Using an Anterior ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4408371>

Kim MH, Lee SK, Lee MH, et al. **Endoscopic retrograde cholangiopancreatography** and needle-knife sphincterotomy in patients with **Billroth II** gastrectomy: a comparative study of the forward-viewing endoscope and the side-viewing duodenoscope. **Endoscopy**. 1997; ...

**Cited by:** 8 **Author:** Kazunari Nakahara, Chiaki Okuse, Keigo ...

**Publish Year:** 2015

### (PDF) Experience of the Endoscopists Matters in Endoscopic ...

<https://www.researchgate.net/publication/335587898...>

PDF | Background/aims: Altered anatomy is a challenge in **endoscopic retrograde cholangiopancreatography** (ERCP) for patients with **Billroth II**... | ...

## Endoscopic Retrograde Cholangiopancreatography (ERCP)

Diagnostic Technique

An imaging test involving combination of endoscopy and X-rays for examination of the bile ducts and pancreas.

**Type:** Imaging

**Duration:** Usually 2-3 hours

**Results available:** Almost immediate

**Is Invasive:** Invasive

### Conditions it may diagnose

[See all \(4+\)](#)

#### Bile Duct Cancer

Very rare

Cholangiocarcinoma, also known as bile duct cancer, is a type of cancer that ...

[Read more](#)

#### Gallstones

Very common

A gallstone is a stone formed within the gallbladder out of ...

[Read more](#)

### Preparation

- Do not consume food, beverage or water before at least 8 hours of the test.
- Inform the doctor if you take any medications or supplements.
- Inform the doctor if you are pregnant.

### During the test

- A small pipe with camera called endoscope is passed through the mouth