

Supplementary Table 1 Spearman's rank correlation

HbA1c	-0.2 1 ^a	-0.36 ^c	0.15	0.29 ^b	1						
Pre-breakfast	-0.1 9	-0.28 ^b	-0.03	0.15	0.74 ^c	1					
Post-breakfast	-0.1 7	-0.17	0.22 ^a	0.07	0.68 ^c	0.37 ^c	1				
Pre-lunch	-0.1 6	-0.21 ^a	-0.02	0.15	0.73 ^c	0.67 ^c	0.44 ^c	1			
Post-lunch	-0.2 1	-0.23 ^a	0.07	0.06	0.80 ^c	0.53 ^c	0.54 ^c	0.54 ^c	1		
Pre-dinner	-0.2 7 ^a	-0.38 ^c	-0.05	0.17	0.76 ^c	0.50 ^c	0.43 ^c	0.55 ^c	0.55 ^c	1	
Post-dinner	-0.1 8	-0.26 ^a	0.21 ^a	0.26 ^a	0.84 ^c	0.41 ^c	0.58 ^c	0.55 ^c	0.65 ^c	0.66 ^c	1
Pre-sleep	-0.1 2	-0.33 ^b	0.16	0.07	0.63 ^c	0.32 ^b	0.33 ^b	0.40 ^c	0.53 ^c	0.37 ^c	0.49 ^c

^a $P < 0.05$.

^b $P < 0.01$.

^c $P < 0.001$.

T1D: Type 1 diabetes;