

Name of Journal: *World Journal of Virology*

Manuscript NO: 36548

Manuscript Type: Review

Retinoic acid receptor beta promoter methylation and risk of cervical cancer

Chaninya Wongwarangkana, Nasamon Wanlapakorn, Jira Chansaenroj, Yong Poovorawan

Abstract

Cervical cancer is one of the leading causes of death in women worldwide, particularly in developing countries. Human papillomavirus has been reported as one of the key etiologic factors in cervical carcinoma. Likewise, epigenetic aberrations have ability to regulate cancer pathogenesis and progression. Recent research suggested that methylation has been detected already at precancerous stages, which methylation

Match Overview

1	Crossref 187 words Wentzensen, N. "Utility of methylation markers in cervical cancer early detection: Appraisal of the state-of-the-science"	6%
2	Crossref 177 words Zhang, Z. "Retinoic acid receptor @b2 is epigenetically silenced either by DNA methylation or repressive histone m..."	5%
3	Internet 54 words crawled on 27-Nov-2016 www.spandidos-publications.com	2%
4	Crossref 32 words Fang, Jinchuan, Hai Zhang, and Sufang Jin. "Epigenetics and cervical cancer: from pathogenesis to therapy", <i>Tumor</i>	1%
5	Crossref 28 words Choi, C.H. "Hypermethylation and loss of heterozygosity ... tumor suppressor genes on chromosome 3p in cervical ca"	1%
6	Internet 28 words crawled on 09-Apr-2016 onlinelibrary.wiley.com	1%
7	Internet 24 words crawled on 25-Apr-2016,	1%

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 9,110 条结果 (用时 0.73 秒)

Promoter methylation status of the tumor suppressor genes p16 and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5453010/> - 翻译此页

作者: RN Lj - 2017 - 相关文章

2017年4月3日 - Cervical cancer is the second most common female cancer worldwide. ... genes, retinoic acid receptor β (RAR β), p16 and cadherin 1 (CDH1), and ... l and carcinoma in the absence of high-risk group papillomaviruses. Structure, function and modulation of retinoic acid receptor beta, a tumor suppressor.

DNA Methylation in Promoter Region as Biomarkers in Prostate Cancer

[https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral\(PMC\)](https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral(PMC)) - 翻译此页

作者: M Yang - 2012 - 被引用次数: 38 - 相关文章

Role of DNA Methylation in the Promoter Regions in Prostate Cancer associated with the risk for recurrence among prostate cancer patients who underwent a ... (62), skin (63), cervical (64), gastric (65), renal (66), and prostate cancers (29, 67). Retinoic acid receptor β (RAR β) is known as a tumor suppressor gene by ...

5th International Conference on Biomedical Engineering in Vietnam

<https://books.google.co.uk/books?isbn=3319117769> - 翻译此页

Vo Van Toi, Tran Ha Lien Phuong - 2014 - Technology & Engineering

*Abstract— Cervical cancer remains one of the common leading cause of ... PCR to detect the aberrant DNA methylation of the panel of cervical cancer related genes ... which were identified whether HPV-infection or non-HPV infection, high-risk ... RAR β (Retinoic acid receptor beta), p16INK4a genes which are belonged to ...

Cervical cancer pathogenesis is associated with one ... - Springer Link

<link.springer.com/article/10.1007/s11010-012-1362-3> - 翻译此页

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 58,900 条结果 (用时 0.43 秒)

Cookie有助于我们提供服务。使用我们的服务，即表示您同意我们使用Cookie。

[了解详情](#)[知道了](#)

Google 学术：[Retinoic acid receptor beta promoter methylation and risk of cervical cancer](#)

[Aberrant promoter methylation of multiple genes in non ...](#) - Zöchbauer-Müller - 被引用次数：738

[... of the retinoic acid receptor-β2 gene in cervical cancer](#) - Ivanova - 被引用次数：125

[Papillomaviruses and cancer: from basic studies to ...](#) - Zur Hausen - 被引用次数：3544

[RARβ retinoic acid receptor beta \[\(human\)\] - NCBI](#)

<https://www.ncbi.nlm.nih.gov/gene/5915> - [翻译此页](#)

[retinoic acid receptor beta](#), HBV-activated protein, RAR-beta, RAR-epsilon, ... [FHIT promoter methylation](#) may play a crucial role in [cervical cancer](#) progression. ... Methylation of the RARβ gene increases prostate cancer risk in black Americans ...

[Methylation and silencing of the retinoic acid receptor-β2 gene in ...](#)

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者：T Ivanova - 2002 - 被引用次数：126 - [相关文章](#)

2002年3月21日 - [Methylation and silencing of the retinoic acid receptor-β2 gene in cervical cancer ...](#)

Three [cervical cancer](#) cell lines with extremely low level of RAR-β2 mRNA ... viral oncogenes (E6 and E7 genes) in high-risk HPV-immortalized cells [15]. ... The [promoter](#) regions of many genes, including RAR-β2, contain ...

[DNA Methylation of Cellular Retinoic Acid-Binding Proteins in Cervical ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5106192/> - [翻译此页](#)

作者：AL Arellano-Ortiz - 2016 - [相关文章](#)

2016年11月10日 - During the cancer process, [promoter methylation](#) profiles of tumor ... such as the



全部 图片 新闻 视频 更多

设置 工具

找到约 50,700 条结果 (用时 0.60 秒)

Google 学术: Retinoic acid receptor beta promoter methylation and risk of cervical cancer

... retinoic acid receptor-beta 2 gene in cervical cancer - Ivanova - 被引用次数: 128

Aberrant promoter methylation of multiple genes in non ... - Zöchbauer-Müller - 被引用次数: 743

Papillomaviruses and cancer: from basic studies to ... - Zur Hausen - 被引用次数: 3592

DNA Methylation of Cellular Retinoic Acid-Binding Proteins in Cervical ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5106192/> - 翻译此页

作者: AL Arellano-Ortiz - 2016 - 相关文章

2016年11月10日 - During the cancer process, promoter methylation profiles of tumor methylation may allow future interventions for risk populations. Methylation and silencing of the retinoic acid receptor-beta 2 gene in cervical cancer.

Abstract · Introduction · Materials and Methods · Discussion

RARB retinoic acid receptor beta [(human)] - NCBI

<https://www.ncbi.nlm.nih.gov/gene/5915> ▼ 翻译此页

7天前 - This gene encodes retinoic acid receptor beta, a member of the ... FHIT promoter methylation may play a crucial role in cervical cancer progression. ... Methylation of the RARB gene increases prostate cancer risk in black ...

Methylation and silencing of the retinoic acid receptor-β2 gene in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC101392/> - 翻译此页

作者: T Ivanova - 2002 - 被引用次数: 127 - 相关文章

2002年3月21日 - Methylation and silencing of the retinoic acid receptor-β2 gene in cervical cancer ... Three cervical cancer cell lines with extremely low level of RAR-β2 mRNA ... viral oncogenes (E6 and E7 genes) in