

## Match Overview

1 Internet 37 words  
crawled on 04-Sep-2019  
[www.cureus.com](http://www.cureus.com)

2%

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 60061

**Manuscript Type:** CASE REPORT

**Postoperative discal pseudocyst and its similarities to discal cyst: A case report**

Chang-Feng Fu, Zhi-Sen Tian, Li-Yu Yao, Ji-Hang Yao, Yuan-Zhe Jin, Ying Liu, Yuan-Yi Wang

国内版

国际版

Microsoft Bing

Postoperative Discal Pseudocyst and Its Similarities to Discal Cyst: Ca ×



ALL

IMAGES

VIDEOS

23,000 Results

Any time ▾

### [Different operative findings of cases predicted to be ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5506303>

PDP is also known as **postdiscectomy pseudocyst** or **postoperative annular pseudocyst** . **PDP** has **extremely similar characteristics to discal cysts** except for the history of operative treatment for LDH. PDP has **extremely similar characteristics to discal cysts** ...

**Cited by:** 1

**Author:** Ryutaro Shibo, Yasushi Oshima, Takeshi...

**Publish Year:** 2017

### [Postoperative discal cyst: An unusual complication after ...](#)

<https://onlinelibrary.wiley.com/doi/abs/10.1111/ases.12227>

Jan 18, 2016 · Various complications after microendoscopic discectomy (MED) are well known, but **postoperative discal cyst** is a unique and relatively unknown complication. Here, we report on two teenage patients who presented with **postoperative discal cyst** after MED for herniated nucleus pulposus (HNP), which resolved after conservative treatment.

**Cited by:** 3

**Author:** Subash C Jha, Ichiro Tonogai, Kosaku Hi...

**Publish Year:** 2016

国内版

国际版

Postoperative discal pseudocyst and its similarities to discal cyst: A c



ALL

IMAGES

VIDEOS

19,300 Results

Any time ▾

## [Symptomatic Postoperative Discal Pseudocyst After ...](https://onlinelibrary.wiley.com/doi/full/10.1111/os.12863)

<https://onlinelibrary.wiley.com/doi/full/10.1111/os.12863>

Background A postoperative **discal pseudocyst** (PDP) is a cystic lesion that is formed in the operation area of the intervertebral disc, leading to recurrence or even worse symptoms. To our knowledge...

## [Retrospective report of symptomatic postoperative discal ...](https://www.researchgate.net/publication/221727612...)

<https://www.researchgate.net/publication/221727612...>

Rarely, a symptomatic **discal pseudocyst** can develop after discectomy. Only very recently one clinical article and one **case report** about this type of **pseudocyst** were published: Kang and Park (J ...

## [Different operative findings of cases predicted to be ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5506303)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5506303>

**PDP** is also known as **postdiscectomy pseudocyst** or **postoperative annular pseudocyst**. **PDP** has extremely **similar characteristics** to **discal cysts** except for the history of operative treatment for LDH. **PDP** has extremely **similar characteristics** to **discal cysts** except for the ...

Cited by: 1

Author: Ryutaro Shiboi, Yasushi Oshima, Takeshi...

Publish Year: 2017

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

19,500 Results

Any time ▾

### [Symptomatic Postoperative Discal Pseudocyst After ...](https://onlinelibrary.wiley.com/doi/10.1111/os.12863)

<https://onlinelibrary.wiley.com/doi/10.1111/os.12863>

Background A postoperative **discal pseudocyst** (PDP) is a cystic lesion that is formed in the operation area of the intervertebral disc, leading to recurrence or even worse symptoms. To our knowledge...

### [PDF] [Symptomatic Postoperative Discal Pseudocyst After ...](https://onlinelibrary.wiley.com/doi/epdf/10.1111/os.12863)

<https://onlinelibrary.wiley.com/doi/epdf/10.1111/os.12863>

Background: A **postoperative discal pseudocyst** (PDP) is a **cystic lesion** that is formed in the operation area of the **intervertebral disc**, leading to recurrence or even worse symptoms. To our knowledge, to date, there is no research focusing specifically on PDP following percutaneous endoscopic interlaminar discectomy (PEID).

### [Different operative findings of cases predicted to be ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5506303)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5506303>

PDP is also known as **postdiscectomy pseudocyst** or **postoperative annular pseudocyst**. PDP has **extremely similar characteristics to discal cysts** except for the history of operative treatment for LDH. PDP has **extremely similar characteristics to discal cysts** ...

Cited by: 1

Author: Ryutaro Shiboi, Yasushi Oshima, Takeshi K...

Publish Year: 2017

### [Retrospective report of symptomatic postoperative discal ...](https://www.researchgate.net/publication/221727612...)

<https://www.researchgate.net/publication/221727612...>

Rarely, a symptomatic **discal pseudocyst** can develop after discectomy. Only very recently one clinical article and one **case report** about this type of **pseudocyst** were published: Kang and Park (J ...

### [A Rare Case of a Discal Cyst Following Percutaneous ...](https://www.ijssurgery.com/content/13/1/92)

<https://www.ijssurgery.com/content/13/1/92> ▾

Feb 01, 2019 · A **discal cyst** is a rare lesion that causes low back pain and radiculopathy of the lower