

文章

小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

我的图书馆

Prevention of type 2 diabetes mellitus by changes in lifestyle among subjects with impaired glucose tolerance [ops.org.ar 中的 \[PDF\]](#)

J Tuomilehto, J Lindström, JG Eriksson... - ... England Journal of ..., 2001 - Mass Medical Soc
 ... mortality, and diabetes incidence after lifestyle intervention for people with impaired glucose tolerance in the ... (2014) Newly diagnosed diabetes mellitus after acute pancreatitis: a systematic ...
 (2014) The utility of fasting plasma glucose to identify impaired glucose metabolism in ...
 被引用次数: 8766 相关文章 所有 14 个版本 引用 保存

时间不限

2015以来

2014以来

2011以来

自定义范围...

Short and long term outcome of severe acute pancreatitis

S Appelros, S Lindgren... - European Journal of ..., 2001 - Wiley Online Library
 ... At follow-up, 13 patients had died, 2 from pancreatic carcinoma. ... 15 of these had diabetes and an additional 4 had impaired glucose tolerance. ... with, in many patients, ongoing social problems related to chronic alcoholism several years after an attack of severe acute pancreatitis. ...
 被引用次数: 219 相关文章 所有 6 个版本 引用 保存

按相关性排序

按日期排序

Improvement in glucose tolerance and insulin resistance in obese subjects treated with troglitazone

JJ Nolan, B Ludvik, P Beerdsen... - New England Journal ..., 1994 - Mass Medical Soc
 ... (2010) Effect of pioglitazone on endothelial function in impaired glucose tolerance. ... (2010) Estimating Hepatic Glucose Production During Glucose Clamps. ... (2009) Rosiglitazone Attenuates the Severity of Sodium Taurocholate-induced Acute Pancreatitis and Pancreatitis ...
 被引用次数: 952 相关文章 所有 5 个版本 引用 保存

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用

Impaired glucose tolerance as a disorder of insulin action

S Lillioja, DM Mott, BV Howard... - ... England Journal of ..., 1988 - Mass Medical Soc
 ... It was once thought that a reduced acute insulin response might be a marker for an underlying pancreatic defect ... of two parents with NIDDM.53 It is possible, therefore, that the slight reduction in acute insulin response in subjects with impaired glucose tolerance may be ...
 被引用次数: 550 相关文章 所有 6 个版本 引用 保存

 创建快讯

Good long - term results in patients surviving severe acute pancreatitis

M Doepel, J Eriksson, L Halme... - British journal of ..., 1993 - Wiley Online Library
 ... tolerance testing showed that four further patients in the present study had impaired glucose tolerance; they were included in the non-diabetic group but will probably develop diabetes~'~.

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 16110

Columns: EDITORIAL

Impaired glucose tolerance in acute pancreatitis

Kikuta K *et al.* Diabetes and acute pancreatitis

Kazuhiro Kikuta, Atsushi Masamune, Tooru Shimosegawa

Kazuhiro Kikuta, Atsushi Masamune, Tooru Shimosegawa, Division of Gastroenterology, Tohoku University Graduate School of Medicine, Sendai 980-8574, Japan

Author contributions: Kikuta K and Masamune A contributed equally to this work; Kikuta K, Masamune A and Shimosegawa T designed the study; Kikuta K, Masamune A, and Shimosegawa T conducted the research; Kikuta K and Masamune A analyzed the

Match Overview

1	CrossCheck 203 words Shih-Wei Lai. "Risk of Acute Pancreatitis in Type 2 Diabetes and Risk Reduction on Anti-Diabetic Drugs: A Popu...	4%
2	Internet 130 words crawled on 13-Feb-2015 www.wjgnet.com	2%
3	CrossCheck 97 words Giorda, C. B., E. Nada, B. Tartaglino, L. Marafetti, and R. Gnani. "A systematic review of acute pancreatitis as an a	2%
4	Internet 88 words crawled on 01-May-2012 www.ydef.org	2%
5	Publications 75 words "Study Results from Flinders University of South Australia: a Broaden Understanding of Diabetes.", <i>Clinical Trials W</i>	1%
6	CrossCheck 75 words Atsushi Masamune. "−651C/T promoter polymorphism in the CD14 gene is associated with severity of acute pan ...	1%
7	Internet 59 words crawled on 16-Nov-2009 www.ncbi.nlm.nih.gov	1%
8	Internet 58 words crawled on 17-Dec-2014 www.science.gov	1%
9	CrossCheck 52 words &NA.; "Abstracts of Papers Submitted to the Joint 45th Meeting of the American Pancreatic Association and Ji ...	1%

学术搜索

找到约 33,800 条结果 (用时0.27秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

 包括专利 包含引用 创建快讯**Prevention of type 2 diabetes mellitus by changes in lifestyle among subjects with impaired glucose tolerance**

J Tuomilehto, J Lindström, JG Eriksson... - ... England Journal of ..., 2001 - Mass Medical Soc
 ... mortality, and diabetes incidence after lifestyle intervention for people with **impaired glucose tolerance** in the ... (2014) Newly diagnosed diabetes mellitus after **acute pancreatitis**: a systematic ... (2014) The utility of fasting plasma **glucose** to identify **impaired glucose** metabolism in ...
 被引用次数: 8945 相关文章 所有 14 个版本 引用 保存

Short and long term outcome of severe acute pancreatitis

S Appelfros, S Lindgren... - European Journal of ..., 2001 - Wiley Online Library
 ... At follow-up, 13 patients had died, 2 from **pancreatic carcinoma**. ... 15 of these had diabetes and an additional 4 had **impaired glucose tolerance**. ... with, in many patients, ongoing social problems related to chronic alcoholism several years after an attack of severe **acute pancreatitis**. ...
 被引用次数: 219 相关文章 所有 6 个版本 引用 保存

Improvement in glucose tolerance and insulin resistance in obese subjects treated with troglitazone

JJ Nolan, B Ludvik, P Beerdson... - New England Journal ..., 1994 - Mass Medical Soc
 ... (2010) Effect of pioglitazone on endothelial function in **impaired glucose tolerance**. ... (2010) Estimating Hepatic **Glucose** Production During **Glucose** Clamps. ... (2009) Rosiglitazone Attenuates the Severity of Sodium Taurocholate-induced **Acute Pancreatitis** and **Pancreatitis** ...
 被引用次数: 957 相关文章 所有 5 个版本 引用 保存

Impaired glucose tolerance as a disorder of insulin action

S Lillioja, DM Mott, BV Howard... - ... England Journal of ..., 1988 - Mass Medical Soc
 ... It was once thought that a reduced **acute** insulin response might be a marker for an underlying **pancreatic** defect ... of two parents with NIDDM.53 It is possible, therefore, that the slight reduction in **acute** insulin response in subjects with **impaired glucose tolerance** may be ...
 被引用次数: 562 相关文章 所有 6 个版本 引用 保存

Good long - term results in patients surviving severe acute pancreatitis

M Doepel, J Eriksson, L Halme... - British journal of ..., 1993 - Wiley Online Library
 ... **tolerance** testing showed that four further patients in the present study had **impaired glucose tolerance**; they were included in the non-diabetic group but will probably develop diabete~^~.
 Diabetes after severe **acute pancreatitis**, especially following **pancreatic** resection, has ...
 被引用次数: 106 相关文章 所有 4 个版本 引用 保存

Pancreatic beta cell dysfunction as the primary genetic lesion in NIDDM: evidence from

ops.org.ar 中的 P

[网页](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 650,000 条结果 (用时 0.48 秒)

Google 学术 : Impaired glucose tolerance in acute pancreatitis

... among subjects with **impaired glucose tolerance** - Tuomilehto - 被引用次数 : 8966

... and long term outcome of severe **acute pancreatitis** - Appelros - 被引用次数 : 219

... in **glucose tolerance** and insulin resistance in obese ... - Nolan - 被引用次数 : 958

Glucose Tolerance Tests. GTT information | Patient.co.uk

www.patient.co.uk > Professional Reference ▾ [翻译此页](#)

If fasting glucose is 6.1-6.9 but 2 hour glucose is normal then it is **impaired fasting ...**

Patients with **acute pancreatic** damage, including pancreatic surgery.

Endocrine pancreatic function in patients after acute ...

www.ncbi.nlm.nih.gov/pubmed/12397772 ▾ [翻译此页](#)

作者 : E Malecka-Panas - 2002 - 被引用次数 : 39 - 相关文章

Endocrine pancreatic function in patients after **acute pancreatitis**. ... RESULTS:

Impaired glucose tolerance was found in 4 patients (4.9%) and overt diabetes in ...

[PDF] Endocrine Pancreatic Function in Patients - ResearchGate

www.researchgate.net/...pancreatic...acute_pancreatitis/.../0912f... ▾ [翻译此页](#)

作者 : E Malecka-Panas - 被引用次数 : 39 - 相关文章

Results: **Impaired glucose tolerance** was found in 4 patients (4.9%) and overt diabetes in 13 patients. (15.8%) recovered from **acute pancreatitis**, which was.

Impaired Fasting Glucose and Impaired Glucose Tolerance

care.diabetesjournals.org/content/30/3/753.long ▾ [翻译此页](#)

作者 : DM Nathan - 2007 - 被引用次数 : 784 - 相关文章

In addition to the risk for diabetes, insulin resistance and **impaired insulin** secretion

Newly diagnosed diabetes mellitus after **acute pancreatitis**: a systematic ...