



BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, United States

Telephone: +1-925-223-8242 Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com http://www.wjgnet.com

ESPS Peer-review Report

Name of Journal: World Journal of Radiology

ESPS Manuscript NO: 9641

Title: Nuclear imaging in detection and monitoring of cardiotoxicity

Reviewer code: 02510166

Science editor: Xiu-Xia Song

Date sent for review: 2014-02-22 20:23

Date reviewed: 2014-04-01 12:12

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A (Excellent)	<input type="checkbox"/> Grade A: Priority Publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B (Very good)	<input checked="" type="checkbox"/> Grade B: minor language polishing	<input type="checkbox"/> Existed	<input type="checkbox"/> High priority for publication
<input checked="" type="checkbox"/> Grade C (Good)	<input type="checkbox"/> Grade C: a great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D (Fair)		BPG Search:	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade E (Poor)	<input type="checkbox"/> Grade D: rejected	<input type="checkbox"/> Existed	<input checked="" type="checkbox"/> Minor revision
		<input type="checkbox"/> No records	<input type="checkbox"/> Major revision

COMMENTS TO AUTHORS

The manuscript's topic of Detection of cardiac toxicity of drugs, before the onset of ventricular ejection impairment, is an important issue. The manuscript overall reads well and appears reasonably well balanced. However, the language needs corrections, there are many spelling errors, for example methabolism, techniques, etc.