

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 43438

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Consecutive fecal calprotectin measurements for predicting relapse in pediatric Crohn's disease patients

Foster AJ *et al.* Fecal calprotectin monitoring for predicting relapse

Alice Jane Foster, Matthew Smyth, Alam Lakhani, Benjamin Jung, Rollin F Brant, Kevan Jacobson

Abstract

BACKGROUND

Asymptomatic children with Crohn's disease require ongoing monitoring to ensure

Match Overview

Rank	Source	Words	Similarity
1	Crossref	29 words Ferreiro-Iglesias, Rocio, Manuel Barreiro-de Acosta, Manuel Otero Santiago, Aurelio Lorenzo Gonzalez, Carmen	1%
2	Internet	15 words crawled on 29-Mar-2016 bictel.ulg.ac.be	<1%
3	Internet	13 words crawled on 24-Dec-2018 pure.uva.nl	<1%
4	Crossref	13 words Siddharth Singh. "Evolution of Clinical Trials in Inflammatory Bowel Diseases", <i>Current Gastroenterology Reports</i>	<1%
5	Internet	13 words crawled on 22-Oct-2018 www.spandidos-publications.com	<1%
6	Internet	12 words crawled on 07-Dec-2017 www.nice.org.uk	<1%
7	Internet	12 words crawled on 03-Nov-2016 www.scribd.com	<1%
8	Crossref	11 words Liu, Jin-Rong, Xiao-Yang Sheng, Yan-Qi Hu, Xiao-Gang Yu, Jamie E Westcott, Leland V Miller, Nancy F Krebs, and	<1%

找到约 34,500 条结果 (用时 0.59 秒)

Google 学术 : Consecutive Fecal Calprotectin Measurements for Predicting Relapse in Pediatric Crohn's Disease Patients

Consecutive fecal calprotectin measurements to predict ... - Vos - 被引用次数 : 123

... intestinal inflammation in inflammatory bowel disease - Konikoff - 被引用次数 : 364

... calprotectin in predicting relapse of inflammatory bowel ... - Mao - 被引用次数 : 200

Consecutive Fecal Calprotectin Measurements to Predict Relapse in ... https://www.researchgate.net/.../251877356_Consecutive_Fecal_Calprotectin... - 翻译此页

2018年6月19日 - This prospective multicenter study enrolled adult patients with UC in clinical remission under. ... Consecutive Fecal Calprotectin Measurements to Predict Relapse ... Article in *Inflammatory Bowel Diseases* 19(10) - July 2013 with 220 Reads Management of Paediatric Ulcerative Colitis, Part 1: Ambulatory ...

P-045A: Prediction of relapse using consecutive measurements of ... [https://www.journalofdairyscience.org/article/S1873-9946\(14\)50061.../fullte...](https://www.journalofdairyscience.org/article/S1873-9946(14)50061.../fullte...) - 翻译此页

P-045A: Prediction of relapse using consecutive measurements of fecal calprotectin in pediatric Crohn's disease patients. A.J. Foster. x. A.J. Foster. Search for ...

Role of fecal calprotectin testing to predict relapse in teenagers with ... <https://www.ncbi.nlm.nih.gov/pubmed/22275341> - 翻译此页

作者 : PF van Rheenen - 2012 - 被引用次数 : 29 - 相关文章

2012年1月24日 - BACKGROUND: Teenagers with inflammatory bowel disease ... Current disease activity is frequently estimated with the use of the Pediatric ... of fecal calprotectin and C-reactive protein (CRP) to predict relapse in ... METHODS: We collected data of 62 consecutive teenagers (31 with Crohn's disease and 31

找到约 20,300 条结果 (用时 0.54 秒)

Google 学术 : Consecutive fecal calprotectin measurements for predicting relapse in pediatric Crohn's disease patients

Consecutive fecal calprotectin measurements to predict ... - Vos - 被引用次数 : 129

... intestinal inflammation in inflammatory bowel disease - Konikoff - 被引用次数 : 369

... calprotectin in predicting relapse of inflammatory bowel ... - Mao - 被引用次数 : 203

P-045A: Prediction of relapse using consecutive measurements of ...

[www.mayoclinicproceedings.org/article/S1873-9946\(14\)50061-X/fulltext](http://www.mayoclinicproceedings.org/article/S1873-9946(14)50061-X/fulltext) - 翻译此页

P-045A: Prediction of relapse using consecutive measurements of fecal calprotectin in pediatric Crohn's disease patients. A.J. Foster. x. A.J. Foster. Search for ...

Consecutive Fecal Calprotectin Measurements to Predict Relapse in ...

https://www.researchgate.net/.../251877356_Consecutive_Fecal_Calprotectin... - 翻译此页

This prospective multicenter study enrolled adult patients with UC in clinical remission under.....

Consecutive Fecal Calprotectin Measurements to Predict Relapse in ... Faecal calprotectin in inflammatory bowel diseases: a review focused on Management of Paediatric Ulcerative Colitis, Part 1: Ambulatory Care- an ...

Does fecal calprotectin predict relapse in patients with Crohn's ...

<https://academic.oup.com/ecco-jcc/article/4/2/144/375145> - 翻译此页

作者 : V García-Sánchez - 2010 - 被引用次数 : 146 - 相关文章

Methods: This is a prospective study with 135 patients diagnosed with IBD in clinical remission for at least 3 months. The patients submitted a stool sample within 24 hours after the baseline visit, for the measurement of fecal calprotectin. ... Relapse predictive capacity was lower in patients with ileal disease.

找到约 20,300 条结果 (用时 0.54 秒)

Google 学术 : Consecutive fecal calprotectin measurements for predicting relapse in pediatric Crohn's disease patients

Consecutive fecal calprotectin measurements to predict ... - Vos - 被引用次数 : 129

... intestinal inflammation in inflammatory bowel disease - Konikoff - 被引用次数 : 369

... calprotectin in predicting relapse of inflammatory bowel ... - Mao - 被引用次数 : 203

P-045A: Prediction of relapse using consecutive measurements of ...

[www.mayoclinicproceedings.org/article/S1873-9946\(14\)50061-X/fulltext](http://www.mayoclinicproceedings.org/article/S1873-9946(14)50061-X/fulltext) - 翻译此页

P-045A: Prediction of relapse using consecutive measurements of fecal calprotectin in pediatric Crohn's disease patients. A.J. Foster. x. A.J. Foster. Search for ...

Consecutive Fecal Calprotectin Measurements to Predict Relapse in ...

https://www.researchgate.net/.../251877356_Consecutive_Fecal_Calprotectin... - 翻译此页

This prospective multicenter study enrolled adult patients with UC in clinical remission under.....

Consecutive Fecal Calprotectin Measurements to Predict Relapse in ... Faecal calprotectin in inflammatory bowel diseases: a review focused on Management of Paediatric Ulcerative Colitis, Part 1: Ambulatory Care- an ...

Does fecal calprotectin predict relapse in patients with Crohn's ...

<https://academic.oup.com/ecco-jcc/article/4/2/144/375145> - 翻译此页

作者 : V García-Sánchez - 2010 - 被引用次数 : 146 - 相关文章

Methods: This is a prospective study with 135 patients diagnosed with IBD in clinical remission for at least 3 months. The patients submitted a stool sample within 24 hours after the baseline visit, for the measurement of fecal calprotectin. ... Relapse predictive capacity was lower in patients with ileal disease.