

### Endoscopic submucosal dissection for colorectal lesions ...

<https://pubmed.ncbi.nlm.nih.gov/33523276>

Background and study aims: **Endoscopic** submucosal dissection (ESD) is commonly used in Asia for **resection** of large non-pedunculated **colorectal** polyps (LNPCPs) and early (T1) **colorectal** cancers. It...

### Endoscopic Management of Large (≥2 cm) Non-pedunculated ...

<https://pubmed.ncbi.nlm.nih.gov/27696095>

Background and aims: Referrals for **endoscopic** management of large **non-pedunculated** (NP) **colorectal** polyps have increased as new techniques have emerged. The **outcomes** for referred large NP polyps...

#### PEOPLE ALSO ASK

Which is better endoscopic resection or surgical resection? ▾

Are there any endoscopy recommendations for colorectal cancer? ▾

What are the characteristics of a colorectal lesion? ▾

Which is better EMR or endoscopic submucosal dissection ( ESD ) or EMR? ▾



ALL IMAGES VIDEOS

Add the Cive with Bing extension >

12,300 Results Any time

Clinical guidelines for endoscopic mucosal resection of ...  
<https://www.sciencedirect.com/science/article/pii/S244438241830035X>

Mar 01, 2018 The technique must be standardized in order to improve the rate of curative resections and minimize complications. The Spanish Endoscopic Resection Working Group of the Spanish Society of Digestive Endoscopy (Endoscopic Resection (SEED)) has identified the need to develop clinical guidelines for the endoscopic treatment of colorectal lesions.

Cited by: 3 Author: Eduardo Albéniz, Maria Pellisé, Antonio ...  
Publish Year: 2018

[PDF] Why attempt en bloc resection of non-pedunculated ...  
<https://gut.bmj.com/content/gutjnl/67/8/1464.full.pdf>

endoscopic en bloc resection. This calls for caution over an indiscriminate use of this technique in the resection of colorectal neoplasia. INTRODUCTION Non-pedunculated colorectal lesions (NPCLs) are usually resected by endoscopic mucosal resection (EMR), which resects polyps in one piece up to a cm), with larger polyps


Cited by: 31 Author: Lorenzo Fucio, Alessandro Repici, Cesa ...  
Publish Year: 2018

PEOPLE ALSO ASK

- Which is better endoscopic resection or surgical resection? ▾
- Which is better EMR or endoscopic submucosal dissection (ESD) or EMR? ▾

Search Tools

Turn off Hover Translation (关闭翻译)



**Name of Journal:** *World Journal of Gastrointestinal Endoscopy*

**Manuscript NO:** 67602

**Manuscript Type:** REVIEW

**Indications and outcomes of endoscopic resection for non-pedunculated colorectal lesions: A narrative review**

How to assess whether to perform EMR or ESD for colorectal lesions?

Endrit Shahini, Diogo Libânio, Giacomo Lo Secco, Antonio Pisani, Alberto Arezzo

Match Overview

Rank	Source	Words	Match %
1	Crossref Saurabh Chandan, Shahab R. Khan, Anand Kumar, Babu P. Mohan et al. "Efficacy and histologic accuracy of underw...	103 words	1%
2	Internet crawled on 19-Jul-2016 f1000.com	55 words	1%
3	Internet crawled on 23-Jun-2019 onlineibrary.wiley.com	43 words	<1%
4	Crossref Marcello Mada, Sandro Storrazza, Alberto Murino, Andrea L. Isotti et al. "Effectiveness and safety of underwater technic...	38 words	<1%
5	Internet crawled on 28-Dec-2020 annalsgastro.gr	30 words	<1%
6	Internet crawled on 22-Aug-2018 www.esge.com	30 words	<1%
7	Crossref Michael K. Ma, Michael J. Bourke. "Chapter 18-1 Endoscopic Mucosal Resection of Colorectal Lesions", Springer Sci...	27 words	<1%
8	Internet crawled on 17-Jul-2019	27 words	<1%

国内版

国际版

Indications and outcomes of endoscopic resection for non-pedunc



ALL IMAGES VIDEOS

17,300 Results Any time ▾

## Re-evaluation of indications and outcomes of endoscopic ...

<https://academic.oup.com/gastro/article/2/1/27/563797> ▾

< **Introduction** Surgical Procedures, Indicat... Surgical Procedures, Indicat. >

Endoscopic submucosal dissection (ESD) and endoscopic mucosal resection (EMR) are two different types of digestive endoscopic surgical procedures. Both of these procedures have the features of being non-aggressive and **resulting in mild postoperative pain, quick recovery, etc.**; therefore, they can be used for **minimally invasive treatment of early gastrointestinal tumors**. EMR has been widely recognized and has become a routine method for the treatment of early gastrointestinal mucosal lesion...

See more on [academic.oup.com](https://academic.oup.com)

Cited by: 3 Author: Shilun Cai, Yunshi Zhong, Pinghong Zhou...

Publish Year: 2014 Estimated Reading Time: 8 mins

## Endoscopic submucosal dissection of malignant non ...

<https://pubmed.ncbi.nlm.nih.gov/30083585>

Background and study aims: Endoscopic submucosal dissection (ESD) is an established method for en bloc resection of large non-pedunculated colorectal lesions in Asia but dissemination of ESD in Western countries is limited. The aim of this study was to evaluate the role of ESD in the management of malignant non-pedunculated colorectal lesions in a European center.

Cited by: 9 Author: Carl-Fredrik Rönnow, Jacob Elebro, Ervin ...

Publish Year: 2018

### PEOPLE ALSO ASK

How is the endoscopic mucosal resection ( EMR ) used? ▾

Which is better endoscopic resection or surgical resection? ▾

Which is the best endoscopic method for adenoma resection? ▾

What are the NICE guidelines for colorectal cancer? ▾