



Adjuvant radiochemotherapy for gastric cancer: should we use prognostic factors to select patients?



网页 新闻 图片 视频 购物 更多 搜索工具

找到约 84,500 条结果 (用时 1.13 秒)

Google 学术: Adjuvant radiochemotherapy for gastric cancer: should we use prognostic factors to select patients?

... with a worse prognosis in gastric cancer patients ... - Galizia - 被引用次数: 103

Gastic cancer - Hohenberger - 被引用次数: 563

Prognosis of patients with colorectal cancer is ... - Rosenberg - 被引用次数: 155

evaluation of n-ratio in selecting patients for adjuvant ...

www.scielo.br/scielo.php?pid=S0004...script=sci_arttext 翻译此页

作者: WL COSTA JUNIOR - 2013 - 相关文章

To explore the clinical utility of N-Ratio in selecting gastric cancer patients for adjuvant ... of the stage migration phenomenon (also called "Will Rogers" phenomenon), ... Using our own database, we selected patients with pathologically confirmed ... analyses to control the effect of other clinical/pathologic prognostic factors.

[PDF] Postoperative Adjuvant Radiochemotherapy for Patients ...

benthamopen.com/contents/pdf/TOCOLCJ/TOCOLCJ-5-9.pdf 翻译此页

作者: MG Calvanese - 相关文章

2012年1月16日 - approach of this cancer is to find an adjuvant treatment that can ... Methods: We enrolled 48 patients with advanced gastric cancer The Clinical Target Volume (CTV) was defined using risk to later on select those patients who benefit the most ... treatment to patients with poor prognostic factors (N+ or.

Epidermal growth factor receptor (EGFR) expression is ...

www.ncbi.nlm.nih.gov/pubmed/17516110 翻译此页

作者: G Galizia - 2007 - 被引用次数: 104 - 相关文章

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 19087

Manuscript Type: TOPIC HIGHLIGHTS

2015 Advances in Gastric Cancer

Adjuvant radiochemotherapy for gastric cancer: Should we use prognostic factors to select patients?

Linda Agolli, Riccardo Maurizi Enrici, Mattia Falchetto Osti

Abstract

Radiotherapy has a not well-established role in the pre-operative and in the post-operative setting in gastric cancer patients. Randomized trials report controversial outcomes and impact on survival. In the D2 loco-regional node resection era, after a well-performed radical surgery, local treatment using radiotherapy combined to chemotherapy should be considered for locally advanced gastric cancer. Prognostic

Match Overview

| | | |
|---|--|----|
| 1 | CrossCheck 132 words Chang, Jee Suk. "Postoperative adjuvant chemoradiotherapy in D2-dissected gastric cancer: Is radiotherapy ne ..." | 2% |
| 2 | CrossCheck 68 words Kim, Dong Jin, Jun Hyun Lee, and Wook Kim. "Impact of Intraoperative Macroscopic Diagnosis of Serosal Invas ..." | 1% |
| 3 | CrossCheck 63 words Ke, Bin, Xi-Na Song, Ning Liu, Ru-Peng Zhang, Chang-Li Wang, and Han Liang. "Prognostic Value of the Lymph ..." | 1% |
| 4 | Internet 62 words crawled on 18-Aug-2015 portal.koreascience.or.kr | 1% |
| 5 | Internet 62 words crawled on 25-Nov-2014 hwmain.jco.ascopubs.org | 1% |
| 6 | CrossCheck 44 words Ravi Shridhar. "Improved survival in patients with lymph node-positive gastric cancer who received preoperative ..." | 1% |
| 7 | Internet 39 words crawled on 15-Apr-2015 www.science.gov | 1% |
| 8 | Internet 38 words crawled on 25-Nov-2014 www.ro-journal.com | 1% |

[网页](#) [图片](#) [视频](#) [新闻](#) [购物](#) [地图](#) [图书](#)

找到约 42,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Postoperative Adjuvant Radiochemotherapy for Patients with Stage ...](#)

www.researchgate.net/.../233945876_Postoperative_Adjuvant_Radiochemotherapy_for_Patients_with_Stage_III_or_IV_Gastric_Cancer

5 Sep 2015 ... Postoperative Adjuvant Radiochemotherapy for Patients with Stage III or IV ... that a multimodal approach with chemo radiotherapy (CT-RT) can improve overall survival. ... Methods: We enrolled 48 patients with advanced gastric cancer A presentation of anatomic factors and pathways of tumor spread ...

[evaluation of n-ratio in selecting patients for adjuvant ... - SciELO](#)

www.scielo.br/scielo.php?pid=S0004-28032013000400257...

To explore the clinical utility of N-Ratio in selecting gastric cancer patients for adjuvant ... in adjuvant therapy for gastric cancer favoring the use of chemoradiotherapy ... Second, we evaluated the prognostic value of N-Ratio in predicting survival ... analyses to control the effect of other clinical/pathologic prognostic factors.

[Adjuvant therapy for gastric cancer: What have we learned since ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4385531/

7 Apr 2015 ... The high toxicity of radiochemotherapy and suboptimal surgical treatment ... The use of adjuvant chemotherapy in the treatment of gastric cancer is ... standardized surgical technique would be that we can reflect on the results for 4% to 6% of gastric cancer patients, and it seems to be a prognostic factor ...

[Postoperative Adjuvant Radiotherapy for Patients with Gastric ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3543969/

31 Dec 2012 ... In gastric adenocarcinoma, high rates of loco-regional recurrences ... (16) randomly assigned 62 patients with poor prognosis gastric carcinoma to receive concurrent ... to the patients with D2-dissected gastric cancer, we can summarize ... highly selected patients who can be beneficial from adjuvant RT will ...

[网页](#) [新闻](#) [图片](#) [购物](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 41,100 条结果 (用时 0.61 秒)

Postoperative Adjuvant Radiochemotherapy for Patients ...

www.researchgate.net/.../233945876_Postoperative_Adjuvant_... - 翻译此页

2015年9月5日 - Postoperative Adjuvant Radiochemotherapy for Patients with Stage III or IV ... that a multimodal approach with chemo radiotherapy (CT-RT) can improve overall survival. ... Methods: We enrolled 48 patients with advanced gastric cancer A presentation of anatomic factors and pathways of tumor spread ...

evaluation of n-ratio in selecting patients for adjuvant ...

www.scielo.br/scielo.php?pid=S0004...script=sci_arttext ▾ 翻译此页

作者 : WL COSTA JUNIOR - 2013 - 相关文章

To explore the clinical utility of N-Ratio in selecting gastric cancer patients for adjuvant ... in adjuvant therapy for gastric cancer favoring the use of chemoradiotherapy ... Second, we evaluated the prognostic value of N-Ratio in predicting survival ... analyses to control the effect of other clinical/pathologic prognostic factors.

Adjuvant therapy for gastric cancer: What have we learned ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者 : AA Jácome - 2015 - 被引用次数 : 2 - 相关文章

2015年4月7日 - The high toxicity of radiochemotherapy and suboptimal surgical treatment ... The use of adjuvant chemotherapy in the treatment of gastric cancer is ... standardized surgical technique would be that we can reflect on the results for 4% to 6% of gastric cancer patients, and it seems to be a prognostic factor ...

Postoperative Adjuvant Radiotherapy for Patients with ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者 : DH Lim - 2012 - 相关文章

2012年12月31日 - In gastric adenocarcinoma, high rates of loco-regional