

**Name of journal:** *World Journal of Gastroenterology*

**ESPS Manuscript NO:** 14637

**Columns:** ORIGINAL ARTICLE

### Basic Study

**TLR2 and TLR4 polymorphisms influences mRNA and protein expression in colorectal cancer**

Proença MA *et al.* TLR2 polymorphism and colorectal cancer risk

Marcela Alcântara Proença, Juliana Garcia de Oliveira, Aline Cristina Targa Cadamuro, Maysa Succi, João Gomes Netinho, Eny Maria Goloni-Bertolo, Érika Cristina Pavarino, Ana Elizabete Silva

Marcela Alcântara Proença, Aline Cristina Targa Cadamuro, Maysa Succi, Ana Elizabete Silva, Department of Biology, UNESP, São Paulo State University, São José do Rio Preto 15054-000, SP, Brazil

### Match Overview

1	Internet 128 words crawled on 08-Jan-2015 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
2	Internet 78 words crawled on 22-Sep-2014 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	1%
3	CrossCheck 47 words Kshitij Srivastava. "Significant association between toll-like receptor gene polymorphisms and gallbladder cancer"	1%
4	CrossCheck 42 words Hans-Dieter Nischalke. "The toll-like receptor 2 (TLR2) -196 to -174 del/ins polymorphism affects viral loads and disease activity in HIV-1 infection"	<1%
5	Internet 27 words crawled on 12-Jan-2013 <a href="http://www.geneticsmr.com">www.geneticsmr.com</a>	<1%
6	CrossCheck 26 words T Boraska Jelavic. "Microsatellite GT polymorphism in toll-like receptor 2 is associated with colorectal cancer"	<1%
7	CrossCheck 23 words Tye, Hazel, and Brendan J. Jenkins. "Tying the knot between toll-like receptor signaling and cytokine signaling in gastrointestinal disease"	<1%
8	CrossCheck 23 words da Silva Manoel-Caetano, F. "kDNA gene signatures of Trypanosoma cruzi in blood and oesophageal mucosa"	<1%
9	CrossCheck 23 words Dallini, Marilene de Fereira, Aline Cristina Targa Cadamuro	<1%

[网页](#) [图片](#) [购物](#) [新闻](#) [视频](#) [更多](#) [搜索工具](#)

找到约 242,000 条结果 (用时 0.43 秒)

### Google 学术 : TLR2 and TLR4 polymorphisms influences mRNA and protein expression in colorectal cancer

... against dysregulated proinflammatory gene expression ... - Abreu - 被引用次数 : 629

Masquerader: high mobility group box-1 and cancer - Ellerman - 被引用次数 : 254

Human intestinal epithelial cells are broadly ... - Melmed - 被引用次数 : 393

### TLR4 toll-like receptor 4 [ (human)]

[www.ncbi.nlm.nih.gov/gene/7099](http://www.ncbi.nlm.nih.gov/gene/7099) [▼ 翻译此页](#)

2015年2月1日 - TLR2 and TLR4 interaction and a specific vitamin D receptor .... TLR4 is associated with the important colorectal cancer-related outcomes of survival and stage. .... A markedly higher expression at the mRNA and protein level of TLR4 .... TLR4 polymorphisms influence the risk to develop IgA nephropathy ...

### TLR2 toll-like receptor 2 [ (human)]

[www.ncbi.nlm.nih.gov/gene/7097](http://www.ncbi.nlm.nih.gov/gene/7097) [▼ 翻译此页](#)

3 天前 - TLR2 expression is shifted to lower layers, and TLR4 is shifted to upper .... A markedly higher expression at the mRNA and protein level of TLR2 was observed in .... 4 polymorphisms significantly alter the risk to have colorectal cancer. .... TLR2 may influence the behaviour of the malignant clone in B-CLL.

### TLR2 and TLR4 polymorphisms, gene and protein ... - NCRI

[conference.ncri.org.uk/abstracts/2013/abstracts/A129.htm](http://conference.ncri.org.uk/abstracts/2013/abstracts/A129.htm) [▼ 翻译此页](#)

TLR2 and TLR4 polymorphisms, gene and protein expression in risk of sporadic ...

Colorectal cancer (CRC) is one of the inflammation-cancer association models. ... and their influence on relative expression levels of mRNA and proteins.

[网页](#) [图片](#) [购物](#) [新闻](#) [视频](#) [更多](#) [搜索工具](#)

找到约 242,000 条结果 (用时 0.43 秒)

### Google 学术 : TLR2 and TLR4 polymorphisms influences mRNA and protein expression in colorectal cancer

... against dysregulated proinflammatory gene expression ... - Abreu - 被引用次数 : 629

Masquerader: high mobility group box-1 and cancer - Ellerman - 被引用次数 : 254

Human intestinal epithelial cells are broadly ... - Melmed - 被引用次数 : 393

### TLR4 toll-like receptor 4 [ (human)]

[www.ncbi.nlm.nih.gov/gene/7099](http://www.ncbi.nlm.nih.gov/gene/7099) [翻译此页](#)

2015年2月1日 - TLR2 and TLR4 interaction and a specific vitamin D receptor .... TLR4 is associated with the important colorectal cancer-related outcomes of survival and stage. .... A markedly higher expression at the mRNA and protein level of TLR4 ..... TLR4 polymorphisms influence the risk to develop IgA nephropathy ...

### TLR2 toll-like receptor 2 [ (human)]

[www.ncbi.nlm.nih.gov/gene/7097](http://www.ncbi.nlm.nih.gov/gene/7097) [翻译此页](#)

3天前 - TLR2 expression is shifted to lower layers, and TLR4 is shifted to upper .... A markedly higher expression at the mRNA and protein level of TLR2 was observed in .... 4 polymorphisms significantly alter the risk to have colorectal cancer. .... TLR2 may influence the behaviour of the malignant clone in B-CLL.

### TLR2 and TLR4 polymorphisms, gene and protein ... - NCRI

[conference.ncri.org.uk/abstracts/2013/abstracts/A129.htm](http://conference.ncri.org.uk/abstracts/2013/abstracts/A129.htm) [翻译此页](#)

TLR2 and TLR4 polymorphisms, gene and protein expression in risk of sporadic ... Colorectal cancer (CRC) is one of the inflammation-cancer association models. ... and their influence on relative expression levels of mRNA and proteins.

### OMIM Entry - + 603030 - TOLL-LIKE RECEPTOR 4; TLR4

[www.omim.org/entry/603030](http://www.omim.org/entry/603030) [翻译此页](#)

{Colorectal cancer, susceptibility to}, 114500, 3 ... (1999) examined TLR4 mRNA and