

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 47737

Manuscript Type: OPINION REVIEW

Is portosinusoidal vascular disease to be actively searched in patients with portal vein thrombosis?

Stefania Gioia, Silvia Nardelli, Lorenzo Ridola, Giulia d'Amati, Oliviero Riggio

Abstract

Porto sinusoidal vascular liver disease (PSVD) and portal vein thrombosis (PVT) are distinct vascular liver diseases characterized respectively by an intrahepatic and a prehepatic obstacle to the flow in the liver portal system. PVT may also occur as a complication of the natural history of PSVD, especially if a prothrombotic condition coexists. In other cases, it is associated

Match Overview

There are no matching sources for this report.



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 115,000 条结果 (用时 0.42 秒)

Natural history of patients with non cirrhotic portal hypertension - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/29429910> - 翻译此页

作者: S Gioia - 2018 - 被引用次数: 5 - 相关文章

2018年1月31日 - Natural history of patients with **non cirrhotic portal hypertension**: ... Variceal progression, incidence of variceal bleeding, **portal vein thrombosis**, ascites and survival ... of varices, variceal bleeding and ascites **was** similar in the 3 groups. ... of bleeding ($p < 0.0001$) and the incidence of **first** variceal bleeding (p ...

缺少字词: EGG?

Non-cirrhotic portal hypertension versus idiopathic portal hypertension.

<https://www.ncbi.nlm.nih.gov/pubmed/12472938> ▾ 翻译此页

作者: K Okuda - 2002 - 被引用次数: 85 - 相关文章

The common causes of NCPH include idiopathic **portal hypertension** (IPH), **non-cirrhotic portal fibrosis** (NCPF) and extrahepatic **portal venous thrombosis** ...

缺少字词: EGG?

[PDF] NON-CIRRHOTIC PORTAL HYPERTENSION

<https://louisville.edu/.../cirrhosis-portal-hypertension.../non-cirrhotic-portal-h...> ▾ 翻译此页

2018年2月8日 - Idiopathic **portal hypertension was** defined by the presence of fibrotic **portal** tracts and thin fibrous septa without evidence of **cirrhosis**. Nodular regenerative hyperplasia **was** defined by micronodular transformation of the liver parenchyma, with central hyperplasia, an atrophic rim, and **no fibrosis**.

Non-cirrhotic portal fibrosis - Gut

<https://gut.bmj.com/content/gutjnl/30/3/406.full.pdf> - 翻译此页

作者: SK Sarin - 1989 - 被引用次数: 81 - 相关文章

It **was** in 1956, that some physicians in India **first** drew attention to a ... which is better known as extra hepatic **portal vein** obstruction (EHPVO). Whatever may be the immunological injury caused by the **eggs** lodged in the radicles of **portal vein**.² ... **thrombosis** of the large and small **portal vein** branches with accompanying.



国内版

国际版

Is portosinusoidal vascular disease to be actively searched in patients with portal v



All

Images

Videos

翻译成中文

开启取词

19,200 Results

Any time ▾

Porto-sinusoidal vascular disease: proposal and ...

[https://www.thelancet.com/journals/langas/article/PIIS2468-1253\(19\)30047-0/fulltext](https://www.thelancet.com/journals/langas/article/PIIS2468-1253(19)30047-0/fulltext)

However, since **portal vein thrombosis** might also occur in the absence of **porto-sinusoidal vascular disease**, determining whether the origin of **portal hypertension** is **pre-hepatic** or **intra-hepatic** is important, since this has therapeutic consequences, such as the insertion of a transjugular intrahepatic portosystemic shunt in **patients with portal vein thrombosis and porto-sinusoidal vascular disease**.

Cited by: 1

Author: Andrea De Gottardi, Pierre-Emmanuel Ra...

Publish Year: 2019

Current knowledge in pathophysiology and management of ...

<https://www.sciencedirect.com/science/article/pii/S0168827819301308>

Portosinusoidal vascular disease/idiopathic portal hypertension. In the absence of an identifiable cause, especially when liver test abnormalities and/or hepatic dysmorphism on imaging are present, further aetiologic work-up may also include liver biopsy. In fact, idiopathic **portal hypertension** may be frequently associated with NCPVT.

Author: Virginia Hernández-Gea, Andrea De ... Publish Year: 2019

Thrombosis and anticoagulation in liver disease - Valla ...

<https://aasldpubs.onlinelibrary.wiley.com/doi/full/10.1002/hep.22192>

Jan 07, 2008 - A high prevalence of underlying **prothrombotic disorders** has been consistently shown in **patients without cirrhosis** or malignant invasion of the **portal vein** (Table 2). 8-15 **PVT** is related to **MPD** in approximately one-third of **patients** when diagnosis is based on sensitive criteria. 13-15 This prevalence is much higher than in **patients with thrombosis** at other sites 10, 15 or in healthy ...

Cited by: 116

Author: Dominique Charles Valla

Publish Year: 2008

Idiopathic noncirrhotic portal hypertension: current ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4968980>

Jul 27, 2016 - Actually in ~25% of the **patients with portal vein thrombosis**, the underlying cause remains unknown despite the **active** searching of local or systemic **diseases** known to be associated with a thrombotic event. In **patients with portal vein thrombosis** of unknown origin, and also in those in whom a **prothrombotic disease** is diagnosed, liver biopsy is ...

Cited by: 7

Author: Oliviero Riggio, Stefania Gioia, Ilaria Pent...

Publish Year: 2016

Thrombosis in vasculitis: from pathogenesis to treatment ...

<https://thrombosisjournal.biomedcentral.com/articles/10.1186/s12959-015-0047-z>

Apr 16, 2015 - Currently, the management of **vascular thrombosis** in **BS patients** is based on immunosuppressive therapy to reduce the inflammation of the vessel wall. **Anti-inflammatory treatments** are able to **promote** a rapid and effective regression of the **vascular lesions**, to prevent the extension of **thrombosis** and its recurrence.



国内版

国际版

Is portosinusoidal vascular disease to be actively searched in patients with portal \



All

Images

Videos

翻译成中文

关闭取词

12,200 Results

Any time ▾

Porto-sinusoidal vascular disease: proposal and ...

[https://www.thelancet.com/journals/langas/article/PIIS2468-1253\(19\)30047-0/fulltext](https://www.thelancet.com/journals/langas/article/PIIS2468-1253(19)30047-0/fulltext)

Patent large hepatic and portal veins as shown by imaging have been regarded as a prerequisite for the diagnosis of porto-sinusoidal vascular disease. However, use of this criterion could result in the diagnosis primary porto-sinusoidal vascular disease with secondary portal vein thrombosis ...

Cited by: 1

Author: Andrea De Gottardi, Pierre-Emmanuel R...

Publish Year: 2019

Current knowledge in pathophysiology and management of ...

<https://www.sciencedirect.com/science/article/pii/S0168827819301308>

Portosinusoidal vascular disease/Idiopathic portal hypertension. In the absence of an identifiable cause, especially when liver test abnormalities and/or hepatic dysmorphism on imaging are present, further aetiologic work-up may also include liver biopsy. In fact, idiopathic portal hypertension may be frequently associated with NCPVT.

Author: Virginia Hernández-Gea, Andrea De ...

Publish Year: 2019

Idiopathic noncirrhotic portal hypertension: current ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4968980>

Jul 27, 2016 · Actually in ~25% of the patients with portal vein thrombosis, the underlying cause remains unknown despite the active searching of local or systemic diseases known to be associated with a thrombotic event. In patients with portal vein thrombosis of unknown origin, and also in those in whom a prothrombotic disease is diagnosed, liver biopsy is ...

Cited by: 7

Author: Oliviero Riggio, Stefania Gioia, Ilaria Pent...

Publish Year: 2016

Deep Vein Thrombosis (DVT) – Vascular Cures

<https://vascularcures.org/deep-vein-thrombosis-dvt> ▾

What is Deep Vein Thrombosis (DVT)? Deep vein thrombosis, commonly referred to as "DVT," occurs when a blood clot or thrombus, develops in the large veins of the legs or pelvic area. Some DVTs may cause no pain, whereas others can be quite painful. With prompt diagnosis and treatment, the majority of DVTs are not life threatening.

[Full text] Idiopathic noncirrhotic portal hypertension ...

<https://www.dovepress.com/idiopathic-noncirrhotic-portal-hypertension-current...> ▾

Jan 30, 2016 · In patients with portal vein thrombosis of unknown origin, and also in those in whom a prothrombotic disease is diagnosed, liver biopsy is seldom performed and thus the diagnosis of INCPH as the prerequisite condition for portal vein thrombosis may be missed. In patients with chronic